


CONCRETE

COUNTERTOP BASIN



EN
INSTALLATION AND
CARE GUIDE

Please retain for future reference

LUSO

INTRODUCTION

Thank you for purchasing a Concrete Countertop Basin.

Please read this guide carefully before installing, using and cleaning this product, and retain it for future reference.

If you have any queries in relation to this product or guide, please contact our Customer Service team on 020 3370 4057.

REQUIRED TOOLS AND MATERIALS


A	Safety Glasses	G	Hacksaw
B	Pencil	H	Keyhole Saw / Saber Saw
C	Scissors	I	Drill (13mm or 1/2" drill bit or larger)
D	Tape Measure	J	Adjustable Wrench
E	Putty Knife	K	Pipe Wrench
F	Plumbers Putty	L	Tubing Cutter

INSTALLATION STEPS

Before installation, please observe all local plumbing and building codes, and inspect the waste and plumbing (replacing if necessary).

- 1** Trace the template of the basin with a pencil to map its outer rim into the countertop surface - make sure to take the tap dimension into account, as if the basin is positioned too near to a wall, this will potentially cause issues with the tap's drain lift rod.
- 2** Drill a 44mm hole into the inside of the cutout opening.
- 3** Drill the tap installation hole according to the tap and countertop dimension. Please ensure that this hole is precisely positioned and drilled to avoid negatively impacting the tap performance.

- 4 Temporarily position the basin in the opening, and adjust to fit.
- 5 Remove the basin, and install the tap and waste according to the manufacturers' instructions.
- 6 Apply sealant to the bottom of the installation area, and press down firmly. Please note that you must not use epoxy resin as a sealant - this will void the product warranty.
- 7 Immediately wipe away any excess sealant, and fill any voids as needed, checking that the basin does not move out of position.
- 8 After allowing the sealant to cure for at least 30 minutes, connect the tap supply lines - ensuring they're tightly connected to avoid leaks - and connect the waste assembly.
- 9 Finally, open the tap valves to check for leakages, and clean the basin and surrounding area with a non-abrasive, non-acidic cleanser to complete the installation.



CARE INSTRUCTIONS

To clean and maintain the flawless finish of this product, please follow the below instructions. Improper maintenance will void your product guarantee.

- ✓ Clean using warm, soapy water
- ✓ Dry with a soft cloth
- ✓ Treat the basin with specially formulated wax every six months

- ✗ Do not use acidic cleansers
- ✗ Do not use wire brushes, abrasive cleansers or cloths
- ✗ Do not use hard or sharp objects to scratch the surface of the basin

Go to Lusso.com to activate your guarantee.

LUSO

Customer Care: 020 3370 4057

International: +44 20 3370 4057